APPENDIX C

CLEVELAND ROWING FOUNDATION INCIDENT REPORT

- Incident reports must be filled out immediately after an incident occurs and submitted to the ED or Safety Director electronically at **clevelandrowing@gmail.com** or in the mailbox outside the ED office within 24 hours. For an emergency, please contact the Safety Director.
- The Coast Guard (216-937-0112) must be called immediately if any of the three **Bold Underlined Headings** are checked "YES." Read off the above information over the phone.

Contact Information of Person Making Report			
Name:	Date of Report:		
Address:	Phone number:		
Email:	Member Org. Affiliation:		
Incident Details			
Date of Incident:	Time of Incident (AM/PM):		
Lighting Conditions:	ght 🖵 Dark		
Weather Condition: Rain Wind			
Check closest landmark(s):			
☐ Old River Bed ☐ Willow Street Bridge	☐ NS #1 RR Bridge	☐ Lake Erie	
☐ Main Street Bridge ☐ Nautica Pavilion	☐ Center Street Bridge	☐ CRF Dock	
☐ Metroparks Dock ☐ Columbus Road Bridge	☐ Foundry	☐ Carter Road Bridge	
☐ Firehouse Station #21 ☐ Carnegie Bridge	☐ NS #2 RR Bridge	☐ I-90 Innerbelt Bridge	
☐ West 3 rd St. Bridge ☐ Marathon Bend	☐ Turning Basin	☐ Morgan Run	
Used:	quired at time	(Double) 1x (Single)	
<u>Damage to Rowing Equipment:</u> □ No □ Yes, an	nd described below in Narrativ	ve Section	
CRF Crew(s) Involved:			
☐ CMSD ☐ St. Ignatius	☐ Shaker Heights	☐ Western Reserve	
☐ Baldwin Wallace ☐ Case Western Reserve	☐ Cleveland State	☐ John Carroll	
Crew Experience Level: ☐ Novice ☐ 2-3 years	\Box 4-5 years \Box > 6 y	ears	
<u>Injuries</u> : □ No □ Yes, and described below in Narra	tive Section		
Launch(es) Involved: Coaches involved: Location of Nearest Launch at Time of Incident: Safety Equipment Available: D. Large PED Boy.	Small Orange Safaty Roy	□ Lights	
Coaches involved:	- · · · · · · · · · · · · · · · · · · ·	☐ Lights	

CLEVELAND ROWING FOUNDATION SAFETY MANUAL

C	nt information.			
Incident Narra	ative:			
Process Impro	ovement Suggesti	on (if any):		